





# WILSON ALICANTE

If not otherwise specified :  
Dist/Dim in meters  
Weights in m.tons

All details given in good faith without guarantee

DWT GROUP 3500  
IMO NO 9507374  
CALL SIGN 9HA2539  
BUILD 12/2010  
FLAG Malta

**Builders** ..... Slovenska Lodenice AS, Komarno Slovakia  
**Classification** ..... GL / 100 A5 E G SOLAS II Req. 19 DBC C2P40 MC E AUT  
**Length oa** ..... 88.30  
**Breadth mld** ..... 12.40  
**Depth mld** ..... 6.70  
**Draft summer** ..... 5.15  
**Deadweight summer draft** ..... 3586  
**Draft winter** ..... 5.04  
**Deadweight winter draft** ..... 3474  
**Gross tonnage** ..... 2451  
**Net tonnage** ..... 1325  
**Immersion(load draft) TPC** ..... 10.55  
**Mean draft of ship in heavy ballast** ..... 3.10  
**Distance from forward end of No.1 Hatch to aft end of last hatch** ..... 58.50  
**Hatch type** ..... System TTS multi fold crocodile  
**Container (TEU) capacity Hold / Deck** ..... - / 20

**Max permissible load on deck, mt/sqm** ..... -  
**Max permissible load on tanktop, mt/sqm** ..... 15.00  
**Max air draft - 1** ..... 19.25  
**Max air draft - 2** ..... -  
**Distance from keel to top antenna -1** ..... 22.35  
**Distance from keel to top antenna -2** ..... -  
**Water ballast capacity** ..... 1 378.00  
**Fuel main engine - capa.(cbm)** ..... 170.00  
**Fuel aux engine - capa.(cbm)** ..... 44.00  
**Speed service, knots** ..... 10.50  
**Cargo gear** ..... No  
**Bow thruster** ..... 130 kW ..... Yes  
**Boxed** ..... Yes  
**Double skin** ..... Yes  
**Open hatch** ..... Yes  
**Rhine fitted** ..... No  
**Ammonium Nitrate fitted** ..... Yes  
**FeSi fitted** ..... Yes

## Hatch details:

a : Distance from waterline fully ballasted to top of hatch coamings  
b : Distance from waterline fully loaded to top of hatch coamings  
c : Distance from tank top to top of hatch coamings  
d : Max permissible loading on hatch covers  
e : Distance from ship's rail to inside hatch coamings  
f : Height of hatch coamings  
g : Hatch opening  
h : No. of Loadingholes on hatchcovers X diameter in mm

## Remarks :

Equipped for carriage of containers only on hatch 2 (20 TAU).  
Equipped for dangerous goods.  
2 movable bulkheads in 9 different positions making 4 different compartments.  
Hatch opening (g) is excl. Bulkheads.  
Hold dimensions are incl. Bulkheads in parked positions.

Htch#	Bale							Grain				Hold dimensions	Compartment :		Communication :		Equipment		
	a	b	c	d	e	f	g	h	Hold#	cbm	cbft		cbm	cbft	#	cbm		Type	No
1	5.85	3.90	7.95	1.60	1.10	2.25	25.20 x 10.10	6 x 600mm	1	1998	70 559	1998	70 559	24.7 x 10.10 x 7.776	a	321	Telex 1	4248 83510	
2	5.85	3.90	7.95	1.60	1.10	2.25	31.80 x 10.10	8 x 600mm	2	2517	88 888	2517	88 888	31.34 x 10.10 x 7.776	b	120	Telex 2	4248 83511	
															c	239	Tlph 1	00 8816 31835439	Inmarsat
															d	334	Tlph 2	+49 172 359 5145	Gsm
															e	500	Fax		
															f	168	Email	master.wilsonalicante@telaurus.net	
															g	179			
															h	317			
															i	215			
															j	689			
															k	784			
															l	168			
															m	226			